MeltonTM Classics Incorporated

Architectural Urethane

P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988 www.meltonclassics.com


BALUSTRADE SYSTEMS



Classically designed Architectural Urethane™ balustrades are available in a wide variety of sizes and designs to enhance the beauty of any project. Ideal for elevated applications such as balconies and widow's walks where excess weight is a concern, Architectural Urethane™ balustrades are just as at home on the patio, pool deck or porch. Constructed from high density urethane and structural piping, durable Architectural Urethane™ balustrades are BOCA compliant, and designed to meet local baluster spacing and rail height codes. In addition to our large inventory of standard designs, custom balusters can be produced upon request. Radius railings are also available.

In addition to our Architectural Urethane[™] balustrade system, we also offer balustrades in MeltonStone[™] cast stone, MarbleTex[™] synthetic stone, & DuraClassic[™] marble/resin composite, See Sweet's 05720 for more inf.


Extended balusters for Stair Applications



Extended Blocks

Melton Classics offers many of its balusters with extended blocks on the top & bottom. This allows for the baluster to match a stair pitch on the job site. We include complete installation instructions with every order. Please call our customer service department for a faxed copy.


If you're looking for a baluster that's not in our catalog. Fax us a detailed drawing and we'd be happy to quote on it. Fax (770) 962-6988.



NOTE: When cutting baluster to pitch, do NOT cut through pipe. Allow pipe to extend a min. of 1 1/2" beyond pitch.


Balustrade Systems and Building Codes

NOTE: Melton Classics recommends checking with your local building inspector before ordering your railing system.



Railing Codes

It is important to check with your local building inspector regarding the code for baluster spacing and railing height. Most states are using a 4" code for balusters, which means that a 4" ball cannot pass between the balusters. We provide you with an on center spacing for each baluster based on this code. Some balusters do not meet code and can only be used in areas that are not considered accessible to the



S = Spacing on center

public. Example: A portico or front balcony that does not have an operating window or door leading to it that could be used in case of fire. It is imperative that you check with your building inspector before ordering your railing system.

IMPORTANT - Please Read

Melton Classics will in no way be held responsible or liable for any railing installation regardless of the code requirements. All railing installations are the sole responsibility of the balustrade installer.

P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988


www.meltonclassics.com

BALUSTRADE SYSTEMS


Melton Classics has developed four different railing systems with a variety of styles and sizes. Choose the size that works for your application: 3 5/8", 5 1/2", 7 1/4" & 12" and lengths of 8', 10' and 12'. On the following pages, Melton Classics has organized its balustrade system components in each of the sizes that it offers; with balusters, newel posts and newel caps to fit the appropriate size railing.

3 5/8" Railing System


Balusters




250-120-20 Baluster 250-120-24 Baluster 250-120-32 Baluster 250-120-22 Baluster 250-120-28 Baluster 250-120-36 Baluster




250-140-24 Baluster








250-110-20 Baluster



250-190-22 Baluster



NOTE: Important Information & Dwgs. for Newel Post Installation Kits and **Rail & Stair Installation** Kits are located on page 95.

250-130-20 Baluster 250-130-24 Baluster

250-130-28 Baluster **250-130-30** Baluster 250-130-32 Baluster 250-130-34 Baluster

250-130-36 Baluster


Architectural Urethane


P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988 www.meltonclassics.com

BALUSTRADE SYSTEMS

3 5/8" Railing System (Cont'd)

Balusters






NOTE: Important
Information & Dwgs.
for Newel Post
Installation Kits and
Rail & Stair Installation
Kits are located
on page 95.

Top & Bottom Rails AVAILABLE IN 8', 10', & 12' LENGTHS


251-100-8 Top Rail **251-100-10** Top Rail **251-100-12** Top Rail











IMPORTANT

➤ Rails are joined to newel posts and not to each other. Other applications will not be covered under the warranty.

On spans of more than 8 feet, we recommend installing support blocks.

Installation kits are available to join rails to newel posts. (see page 17)


251-100 & 251-105 Rails are made with galvanized steel pipes that meet BOCA Codes.


Railings can be pre-drilled. See page 16.

Curved Railings

Curved railings available by quotation. See page 16 for stock sizes and instructions.

Newel Posts





Ht.: 48" Width: 4"sq.





NOTE:
Newel Posts can be cut
to specific heights.
Please specify.

Installation hardware available for Newel Posts. (see page 17)

No. 252-370 Newel Post w/1159-370 Bip.

252-370 *Newel Post* Ht.: 47" Width: 4"sq.

Newel Caps



253-100 Newel Cap 6 1/4" Square



253-130 *Newel Cap* 6 1/4" Square



NOTE:

Newel Caps are ordered as a separate piece.