

P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988 www.meltonclassics.com

BALUSTRADE SYSTEMS

Balustrade Systems and Building Codes

NOTE: Melton Classics recommends checking with your local building inspector before ordering your railing system.

Classically designed Architectural Urethane™ balustrades are available in a wide variety of sizes and designs to enhance the beauty of any project. Ideal for elevated applications such as balconies and widow's walks where excess weight is a concern, Architectural Urethane™ balustrades are just as at home on the patio, pool deck or porch. Constructed from high density urethane and structural piping, durable Architectural Urethane[™] balustrades are BOCA compliant, and designed to meet local baluster spacing and rail height codes. In addition to our large inventory of standard designs, custom balusters can be produced upon request. Radius railings are also available.


ton™

assics

In addition to our Architectural Urethane™ balustrade system, we also offer balustrades in MeltonStone[™] cast stone, MarbleTex[™] synthetic stone, & DuraClassic[™] marble/resin composite, See Sweet's 05720 for more inf.

Extended balusters for Stair Applications


Extended Blocks




Melton Classics offers many of its balusters with extended blocks on the top & bottom. This allows for the baluster to match a stair pitch on the job site. We include complete installation instructions with every order. Please call our customer service department for a faxed copy.

Pitch








Railing Codes

It is important to check with your local building inspector regarding the code for baluster spacing and railing height. Most states are using a 4" code for balusters, which means that a 4" ball cannot pass between the balusters. We provide you with an on center spacing for each baluster based on this code. Some balusters do not meet code and can only be used in areas that are not considered accessible to the



S = Spacing on center

public. Example: A portico or front balcony that does not have an operating window or door leading to it that could be used in case of fire. It is imperative that you check with your building inspector before ordering your railing system.

IMPORTANT - Please Read

Melton Classics will in no way be held responsible or liable for any railing installation regardless of the code requirements. All railing installations are the sole responsibility of the balustrade installer.




Architectural Urethane


P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988 www.meltonclassics.com

BALUSTRADE SYSTEMS


5 1/2" Railing System

Balusters






6 1/4" 36" 6 1/4" S = 6'




6 3/4" 3 3/4" 3 3/4' 3 3/4" 4 1/4"J 4 1/4"-2 5/8" 1 1/8' 30" 24' 22' 19' 7 1/4" 4 1/4" 2 5/8" 1 3/4" S = 6 1/4"


250-230-19 Baluster 250-230-22 Baluster 250-230-24 Baluster 250-230-30 Baluster



3' 26' S = 6 7/8"

250-430-26 Baluster







P.O. Box 465020 • Lawrenceville, Georgia 30042 (800) 963-3060 • (770) 963-3060 • Fax: (770) 962-6988 www.meltonclassics.com

BALUSTRADE SYSTEMS


5 1/2" Railing System (Cont'd)


elton™


lassics

Incorporated

Balusters








Top & Bottom Rails AVAILABLE IN 8', 10' & 12' LENGTHS










NOTE: Important Information & Dwgs. for Newel Post Installation Kits and Rail & Stair Installation Kits are located on page 95.


251-200-12 Top Rail

Newel Posts




Ht.: 48" Width: 8"sq.

252-210 Newel Post Ht.: 48" Width: 7 3/8"sq.



252-220 Newel Post Ht.: 48" Width: 8"sq.



252-230 Newel Post Ht.: 48" Width: 8"sq.

NOTE: Newel Caps are ordered as a separate piece.



Newel Caps

253-200 Newel Cap 8 1/2" Square



