

MOULDINGS

mouldings



Whether your project calls for a large cove, a crisply detailed egg & dart, or a massive crown dentil and fascia combination, Melton Classics has just the right polymer moulding solution for your project. Literally any moulding profile can be provided in our low maintenance Architectural UrethaneTM. Melton Classics offers over 200 profiles in our standard collection of classic mouldings, however, custom profiles are also available at affordable prices. We offer the broadest selection of large profiles in the industry with combinations of profiles molded into one piece and pre-primed to reduce installation costs.

Adhesive

Melton Classics recommends using a quality urethane adhesive as part of the installation process when installing mouldings. We have found that urethane adhesive is superior to other adhesives that we have tried. We recommend its use with all of our products. Ask a Melton Classics representative if you need to order a quantity of our urethane adhesive.

Numbering System

Moulding No. 550-132-16

Moulding - Style - Length

550

132


16

Installing Large Moulding Profiles

Many larger moulding profiles cannot be mitered using a power miter saw or a radial arm saw. For some profiles it may be necessary to cut miters using a miter box and a hand saw.


Please read our instructions on how to build a miter box.

1. Measure the height and projection of your moulding. If you are using several large pieces of mouldings, build the miter box to accommodate the largest profile.
2. Using 3/4" plywood approximately 6 feet long, cut the width of the bottom piece exactly to the projection of the moulding you are using.
3. Cut the sides of the miter box a minimum of 1 3/4" wider than the height of the largest profile.
4. Screw the side pieces to the side of your bottom piece.



Miter Box - Plan View

5. Cut four 2" strips of plywood and cut them to a length that is the same width as the bottom of the miter box. Secure them to the top of the miter box making sure the sides are square to the bottom.




Miter Box cut-a-way & blocking for smaller profiles

Note: Keep a 2 1/2 foot opening at the center of the miter box to allow the angles to be cut in.

6. Using a framing square, mark out the 45 degree angles. Square the marks down the side walls. With a handsaw, cut your angles, making sure to follow your lines down the side wall.
7. For the smaller moulding profiles, measure the projection and mark that distance from one wall of the miter box. Cut a piece of blocking to fill the space left over. This will act as a wall to rest against the edge of your moulding.

Blocking is an important part of a good installation.

We recommend that proper blocking be installed to secure mouldings in place. This is especially important with larger moulding profiles to limit expansion and contraction.




MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.


mouldings



550-132-16 Moulding
Height: 4 1/4" Length: 16' Proj.: 4"



550-470-16 Moulding
Ht.: 8 7/8" Length: 16' Proj.: 1 3/8"



550-142-16 Moulding
Ht.: 5 3/8" Length: 16' Proj.: 3 1/2"




550-146-12 Moulding
Ht.: 13 1/2" Length: 12' Proj.: 2"




550-258-16 Moulding
Ht.: 14 3/4" Length: 16' Proj.: 1 5/8"



550-474-16 Moulding
Ht.: 8 1/4" Length: 16' Proj.: 1 3/8"



550-368-16 Moulding
Ht.: 7 1/2" Length: 16' Proj.: 3 1/2"



550-312-10 Moulding
Ht.: 12 5/16" Length: 10' Proj.: 4 5/8"



550-192-16 Moulding
Height: 8" Length: 16' Proj.: 6 1/2"



550-282-16 Moulding
Height: 5 1/4" Length: 16' Proj.: 2"


IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.



550-322-16 Moulding

Ht.: 1 3/8" Length: 16' Proj.: 11/16"




550-110-16 Moulding

Ht.: 3 1/4" Length: 16' Proj.: 3/4"




550-184-16 Moulding

Ht.: 7 1/2" Length: 16' Proj.: 1"



550-104-16 Moulding

Ht.: 1 3/4" Length: 16' Proj.: 1"



550-340-16 Moulding

Ht.: 8 3/4" Length: 16' Proj.: 1 3/8"



550-120-16 Moulding

Ht.: 5 3/4" Length: 16' Proj.: 1 1/8"




550-384-16 Moulding

Ht.: 5 1/4" Length: 16' Proj.: 5/8"



550-130-16 Moulding

Ht.: 9" Length: 16' Proj.: 1 7/8"



550-100-16 Moulding

Ht.: 2 1/4" Length: 16' Proj.: 5/8"



550-106-16 Moulding


Ht.: 6 3/16" Length: 16' Proj.: 1 1/16"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS

mouldings




550-108-16 Moulding

Height: 3 1/4" Length: 16' Proj.: 7/8"



550-170-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 1 5/8"




550-112-16 Moulding

Height: 3 1/4" Length: 16' Proj.: 7/8"



550-176-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 2"




550-140-16 Moulding

Height: 5" Length: 16' Proj.: 7/8"



550-180-16 Moulding

Ht.: 4 1/4" Length: 16' Proj.: 1 1/2"



550-150-16 Moulding

Ht.: 5" Length: 16' Proj.: 1 1/8"



550-190-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 1 3/4"



550-378-16 550-220-16 550-316-16

550-378-16 Moulding

Ht.: 2" Length: 16' Proj.: 3/4"

550-220-16 Moulding

Ht.: 2" Length: 16' Proj.: 1 1/4"

550-316-16 Moulding

Ht.: 2" Length: 16' Proj.: 1 1/2"



550-330-16 Moulding

Ht.: 1 1/2" Length: 16' Proj.: 15/16"




550-518 Sill Moulding

Ht.: 1 3/4" Length: 12' Proj.: 2 1/2"

MOULDINGS

MOULDINGS CAN BE RADIUSUED TO YOUR SPECIFICATIONS!

To order specify the moulding item number, the radius desired and the number of pieces needed.



550-178-16 Moulding

Ht.: 7" Length: 16' Proj.: 1 3/4"



550-428-8 Moulding

Ht.: 8 1/4" Length: 8' Proj.: 2 1/2"




550-200-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 1"



550-240-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 1"



550-210-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 1 3/4"




550-250-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 1 1/8"



550-182-16 Moulding

Ht.: 4" Length: 16' Proj.: 3/4"



550-260-16 Moulding

Ht.: 7 1/4" Length: 16' Proj.: 1"



550-288-16 Moulding

Ht.: 4 1/2" Length: 16' Proj.: 1 1/8"



550-270-16 Moulding

Ht.: 5 1/4" Length: 16' Proj.: 1"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.


MOULDINGS

mouldings




550-328-16 Moulding

Ht.: 10" Length: 16' Proj.: 2 3/4"



550-442-16 Moulding

Ht.: 5" Length: 16' Proj.: 1"



550-402-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 1 1/2"



550-310-16 Moulding

Ht.: 10" Length: 16' Proj.: 2 1/2"




550-448-16 Moulding

Ht.: 3" Length: 16' Proj.: 3/4"



550-500-16 Moulding

Ht.: 1 3/4" Length: 16' Proj.: 5/8"




550-356-16 Moulding

Ht.: 4 1/2" Length: 16' Proj.: 1 5/8"



550-488-12 Moulding

Ht.: 3" Length: 12' Proj.: 2 1/2"




550-418 Moulding

Ht.: 5 7/8" Length: 16' Proj.: 1"




550-490-12 Moulding

Ht.: 3 1/2" Length: 12' Proj.: 2"



550-508-16 Moulding

Ht.: 7" Length: 16' Proj.: 4 3/4"




550-284-16 Moulding

Ht.: 4 1/2" Length: 16' Proj.: 2 1/2"

MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.




550-114-16 Moulding

Ht.: 6" Length: 16' Proj.: 1 7/8"




550-434-16 Moulding

Ht.: 19 1/8" Length: 16' Proj.: 9"




550-160-16 Moulding

Ht.: 5" Length: 16' Proj.: 1 1/4"




550-244-16 Moulding

Ht.: 9" Length: 16' Proj.: 4 1/8"




550-116-16 Moulding

Ht.: 5 3/8" Length: 16' Proj.: 1 3/8"



550-234-16 Moulding

Ht.: 14 3/8" Length: 16' Proj.: 7"




550-230-16 Moulding

Height: 3" Length: 16' Proj.: 7/8"



550-294-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 1 1/8"



550-482-12 Moulding

Ht.: 19" Length: 12' Proj.: 8 3/8"

550-292-10 Moulding


Ht.: 5 1/2" Length: 10' Proj.: 1 1/8"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS


mouldings




550-476-8 Moulding
Ht.: 13 1/8" Length: 8' Proj.: 5"




550-256-12 Moulding
Ht.: 14 1/4" Length: 12' Proj.: 14 1/4"




550-188-16 Moulding
Ht.: 6 1/4" Length: 16' Proj.: 4 3/8"



550-296-12 Moulding
Ht.: 16" Length: 12' Proj.: 11 1/4"




550-186-10 Moulding
Ht.: 18 1/8" Length: 10' Proj.: 7 1/2"




550-298-12 Moulding
Ht.: 16" Length: 12' Proj.: 11 1/4"




550-344-8 Moulding
Ht.: 3/4" Length: 8' Proj.: 3/4"



550-342-16 Moulding
Ht.: 5 1/4" Length: 16' Proj.: 5 7/16"



550-246-16 Moulding
Ht.: 2 1/2" Length: 16' Proj.: 2 1/2"



550-480-16 Moulding
Ht.: 9 1/2" Length: 16' Proj.: 10"



550-252-16 Moulding
Ht.: 5 1/4" Length: 16' Proj.: 5 1/4"

MOULDINGS


MOULDINGS CAN BE RADIUSSED TO YOUR SPECIFICATIONS!

To order specify the moulding item number, the radius desired and the number of pieces needed.




550-236-16 Moulding

Ht.: 12 3/4" Length: 16' Proj.: 3 1/2"




550-486-16 Moulding

Ht.: 9 7/8" Length: 16' Proj.: 5 1/4"



550-224-16 Moulding

Height: 15" Length: 16' Proj.: 4"



550-388-16 Moulding

Ht.: 12" Length: 16' Proj.: 8 1/2"



550-122-16 Moulding

Ht.: 8 1/8" Length: 16' Proj.: 5 3/8"



550-423-12 Moulding

Ht.: 15 1/2" Length: 12' Proj.: 8 1/4"



550-222-16 Moulding

Ht.: 7 3/4" Length: 16' Proj.: 5 3/8"




550-446-12 Moulding

Ht.: 1 1/2" Length: 12' Proj.: 9/16"



550-278-16 Moulding

Ht.: 2 3/4" Length: 16' Proj.: 2 1/2"




550-452-8 Moulding

Ht.: 3/4" Length: 8' Proj.: 3/4"


IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.


MOULDINGS




550-244-16 Moulding
Ht.: 9" Length: 16' Proj.: 4 1/8"



550-318-12 Moulding
Ht.: 17" Length: 12' Proj.: 5 1/2"



550-432-12 Moulding
Ht.: 19 1/2" Length: 12' Proj.: 11"



550-512-12 Moulding
Ht.: 17 3/4" Length: 12' Proj.: 13 5/8"




550-438-16 Moulding
Ht.: 9 1/2" Length: 16' Proj.: 10 1/8"




550-248-16 Moulding
Ht.: 3 3/4" Length: 16' Proj.: 3 3/4"



550-374-16 Moulding
Ht.: 4 3/4" Length: 16' Proj.: 4 3/4"



550-272-16 Moulding
Ht.: 1 7/8" Length: 16' Proj.: 1 1/2"



550-414-16 Moulding
Ht.: 8 1/2" Length: 16' Proj.: 7 1/4"



550-426-8 Moulding
Ht.: 3 1/2" Length: 8' Proj.: 7/8"



550-380-12 Moulding
Ht.: 1 3/4" Length: 12' Proj.: 1 3/8"

mouldings


MOULDINGS

CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!


From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.




550-462-16 Moulding
Ht.: 6" Length: 16' Proj.: 6"



550-204-16 Moulding
Ht.: 3 3/8" Length: 16' Proj.: 2 1/8"




550-472-16 Moulding
Ht.: 8" Length: 16' Proj.: 5"




550-228-16 Moulding
Ht.: 6 1/2" Length: 16' Proj.: 4 1/2"




550-372-16 Moulding
Ht.: 8" Length: 16' Proj.: 7"




550-268-16 Moulding
Ht.: 3 1/4" Length: 16' Proj.: 2 3/4"



550-286-16 Moulding
Ht.: 4 1/4" Length: 16' Proj.: 3 3/8"



550-370-16 Moulding
Ht.: 5 1/2" Length: 16' Proj.: 4 5/8"



550-144-16 Moulding
Ht.: 4" Length: 16' Proj.: 3 1/2"




550-124-16 Moulding
Ht.: 2 1/8" Length: 16' Proj.: 1 5/8"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS


mouldings




550-346-16 Moulding
Ht.: 3" Length: 16' Proj.: 2 1/4"




550-362-16 Moulding
Ht.: 4 1/4" Length: 16' Proj.: 4 1/2"




550-364-16 Moulding
Ht.: 4" Length: 16' Proj.: 3 7/8"



550-404-16 Moulding
Ht.: 12" Length: 16' Proj.: 10"



550-274-16 Moulding
Ht.: 5 1/4" Length: 16' Proj.: 4 1/4"




550-450-16 Moulding
Ht.: 3 1/8" Length: 16' Proj.: 3"




550-410-16 Moulding
Ht.: 8" Length: 16' Proj.: 7 3/4"



550-416-16 Moulding
Ht.: 7" Length: 16' Proj.: 5 1/2"



550-466-16 Moulding
Ht.: 5 1/4" Length: 16' Proj.: 4"



550-326-8 Moulding
Ht.: 3 3/4" Length: 8' Proj.: 3 3/4"



550-514-16 Moulding
Ht.: 8 3/4" Length: 16' Proj.: 5 3/8"




550-440-8 Moulding
Ht.: 1" Length: 8' Proj.: 3/4"

MOULDINGS


MOULDINGS CAN BE RADIUSUED TO YOUR SPECIFICATIONS!

To order specify the moulding item number, the radius desired and the number of pieces needed.




550-126-16 Moulding

Ht.: 3 1/2" Length: 16' Proj.: 2 1/4"



550-128-16 Moulding

Ht.: 11" Length: 16' Proj.: 6 1/2"



550-138-16 Moulding

Ht.: 6 1/2" Length: 16' Proj.: 3 3/8"




550-196-16 Moulding

Ht.: 15 1/2" Length: 16' Proj.: 9 1/2"




550-358-16 Moulding

Ht.: 4" Length: 16' Proj.: 3 1/8"



550-202-16 Moulding

Ht.: 7 3/4" Length: 16' Proj.: 2 3/8"



550-306-12 Moulding

Ht.: 14 1/2" Length: 12' Proj.: 10"




550-214-16 Moulding

Ht.: 12" Length: 16' Proj.: 4 1/2"



550-468-16 Moulding

Ht.: 3 3/8" Length: 16' Proj.: 2 5/8"



550-354-16 Moulding


Ht.: 5 1/4" Length: 16' Proj.: 3"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.


MOULDINGS

mouldings



550-226-16 Moulding

Ht.: 7 3/4" Length: 16' Proj.: 5 3/4"



550-232-16 Moulding

Ht.: 12 1/2" Length: 16' Proj.: 7 1/4"



550-276-16 Moulding

Ht.: 10 1/4" Length: 16' Proj.: 5 3/8"




550-398-16 Moulding

Ht.: 9 1/8" Length: 16' Proj.: 3 3/8"




550-424-12 Moulding

Ht.: 15 1/2" Length: 12' Proj.: 8 1/4"




550-436-16 Moulding

Ht.: 16 1/2" Length: 16' Proj.: 8"



550-478-16 Moulding

Ht.: 12 1/8" Length: 16' Proj.: 8"




550-254-16 Moulding

Ht.: 14 3/8" Length: 16' Proj.: 7"



550-136-16 Moulding

Ht.: 9 1/2" Length: 16' Proj.: 2 1/8"




550-216-16 Moulding

Ht.: 15 1/4" Length: 16' Proj.: 10"

MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.



550-154-8 Moulding

Ht.: 1 3/8" Length: 8' Proj.: 11/16"




550-264-8 Moulding

Ht.: 4 1/2" Length: 8' Proj.: 1 1/2"



550-156-16 Moulding

Ht.: 5 1/4" Length: 16' Proj.: 2 1/2"



550-308-8 Moulding

Ht.: 2 3/8" Length: 8' Proj.: 2 1/4"



550-158-16 Moulding

Ht.: 6 1/4" Length: 16' Proj.: 3 3/4"




550-206-16 Moulding

Ht.: 3 1/4" Length: 16' Proj.: 2 1/8"



550-360-8 Moulding

Ht.: 3" Length: 8' Proj.: 1 1/2"



550-164-16 Moulding

Ht.: 7" Length: 16' Proj.: 1 1/2"



550-502-16 Moulding

Ht.: 4" Length: 16' Proj.: 7/8"

550-166-16 Moulding

Ht.: 9 1/2" Length: 16' Proj.: 1 1/2"


550-168-16 Moulding

Ht.: 11 1/2" Length: 16' Proj.: 1 1/2"

IMPORTANT


For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS





550-324-8 Moulding

Ht.: 4 1/2" Length: 8' Proj.: 1 3/8"




550-422-16 Moulding

Ht.: 7 1/2" Length: 16' Proj.: 3 1/8"



550-386-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 5"



550-162-8 Moulding

Ht.: 6" Length: 8' Proj.: 1 1/2"

550-162-16 Moulding

Ht.: 6" Length: 16' Proj.: 1 1/2"





550-506-8 Moulding

Ht.: 23 1/2" Length: 8' Proj.: 9"



550-198-16 Moulding

Ht.: 14 1/2" Length: 16' Proj.: 2 1/16"




550-496-16 Moulding

Ht.: 10 3/4" Length: 16' Proj.: 5 5/8"



550-238-12 Moulding

Ht.: 10" Length: 12' Proj.: 5"



550-382-8 Moulding

Ht.: 2 1/2" Length: 8' Proj.: 5/8"



550-262-8 Moulding


Ht.: 3 3/8" Length: 8' Proj.: 1 3/8"

mouldings

MOULDINGS


MOULDINGS CAN BE RADIUSUED TO YOUR SPECIFICATIONS!

To order specify the moulding item number, the radius desired and the number of pieces needed.




550-394-8 Moulding

Ht.: 7 1/2" Length: 8' Proj.: 6"




550-484-16 Moulding

Ht.: 8" Length: 16' Proj.: 1 3/4"



550-430-16 Moulding

Ht.: 12 1/2" Length: 16' Proj.: 1 1/2"




550-148-8 Moulding

Ht.: 4 1/2" Length: 8' Proj.: 1 1/8"

550-152-16 Moulding

Ht.: 4 1/2" Length: 16' Proj.: 1 1/8"



551-148-5-8	5/12 Pitch
552-148-5-8	5/12 Pitch
551-148-6-8	6/12 Pitch
552-148-6-8	6/12 Pitch
551-148-7-8	7/12 Pitch
552-148-7-8	7/12 Pitch
551-148-8-8	8/12 Pitch
552-148-8-8	8/12 Pitch
551-148-9-8	9/12 Pitch
552-148-9-8	9/12 Pitch
551-148-10-8	10/12 Pitch
552-148-10-8	10/12 Pitch
551-148-12-8	12/12 Pitch
552-148-12-8	12/12 Pitch

551 - Indicates left pitch.
552 - Indicates right pitch.

551-262-5-8	5/12 Pitch
552-262-5-8	5/12 Pitch
551-262-6-8	6/12 Pitch
552-262-6-8	6/12 Pitch
551-262-7-8	7/12 Pitch
552-262-7-8	7/12 Pitch
551-262-8-8	8/12 Pitch
552-262-8-8	8/12 Pitch
551-262-9-8	9/12 Pitch
552-262-9-8	9/12 Pitch
551-262-10-8	10/12 Pitch
552-262-10-8	10/12 Pitch
551-262-12-8	12/12 Pitch
552-262-12-8	12/12 Pitch

551 - Indicates left pitch.
552 - Indicates right pitch.

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.


MOULDINGS

mouldings




550-208-16 Moulding

Ht.: 5 7/8" Length: 16' Proj.: 2 7/8"



550-212-9 Moulding

Ht.: 2" Length: 9' Proj.: 1 3/8"



550-242-16 Moulding

Ht.: 10 1/8" Length: 16' Proj.: 5 1/2"



551-162-5-8	5/12 Pitch
552-162-5-8	5/12 Pitch
551-162-6-8	6/12 Pitch
552-162-6-8	6/12 Pitch
551-162-7-8	7/12 Pitch
552-162-7-8	7/12 Pitch
551-162-8-8	8/12 Pitch
552-162-8-8	8/12 Pitch
551-162-9-8	9/12 Pitch
552-162-9-8	9/12 Pitch
551-162-10-8	10/12 Pitch
552-162-10-8	10/12 Pitch
551-162-12-8	12/12 Pitch
552-162-12-8	12/12 Pitch

551 - Indicates left pitch.
552 - Indicates right pitch.



550-348-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 2 3/4"



550-392-16 Moulding

Ht.: 7 1/2" Length: 16' Proj.: 3/4"



550-464-16 Moulding

Ht.: 6 3/8" Length: 16' Proj.: 2"



550-172-16 Moulding

Ht.: 9" Length: 16' Proj.: 1 3/8"



550-174-16 Moulding

Ht.: 9" Length: 16' Proj.: 1 3/4"

MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.



550-454-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 1 1/2"




550-460-16 Moulding

Ht.: 9 1/2" Length: 16' Proj.: 9 1/4"




550-456-16 Moulding

Ht.: 8 1/2" Length: 16' Proj.: 1 1/2"



550-266-16 Moulding

Ht.: 9 1/2" Length: 16' Proj.: 8 3/4"




550-350-12 Moulding

Ht.: 13 1/2" Length: 12' Proj.: 10 1/2"



550-118-16 Moulding

Ht.: 2 1/4" Length: 16' Proj.: 1 1/8"



550-352-12 Moulding

Ht.: 13 5/8" Length: 12' Proj.: 10 1/2"



550-320-16 Moulding

Ht.: 2 3/8" Length: 16' Proj.: 1 1/2"



550-134-16 Moulding

Ht.: 1 5/8" Length: 16' Proj.: 1 1/2"




550-458-16 Moulding

Ht.: 1 3/16" Length: 16' Proj.: 1 1/16"

IMPORTANT


For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

MOULDINGS




550-396-16 Moulding

Ht.: 11 3/4" Length: 16' Proj.: 8"




550-304-12 Moulding

Ht.: 10" Length: 12' Proj.: 6 1/2"




550-408-16 Moulding

Ht.: 11 1/4" Length: 16' Proj.: 8 1/4"



550-406-16 Moulding

Ht.: 11 1/4" Length: 16' Proj.: 8 1/4"




550-412-16 Moulding

Ht.: 11 3/4" Length: 16' Proj.: 9 1/2"




550-302-14 Moulding

Ht.: 13 1/2" Length: 14' Proj.: 8 1/4"




550-194-16 Moulding

Ht.: 11 1/4" Length: 16' Proj.: 7 7/8"



550-376-16 Moulding

Ht.: 10 1/8" Length: 12' Proj.: 9 1/2"



550-530-16 Moulding

Ht.: 1 3/16" Length: 16' Proj.: 1 1/16"

550-400-16 Moulding

Ht.: 1 7/8" Length: 16' Proj.: 1 3/8"

550-218-16 Moulding

Ht.: 2 1/8" Length: 16' Proj.: 1 3/4"



550-390-16 Moulding

Ht.: 12" Length: 16' Proj.: 8 5/8"


mouldings

MOULDINGS

MOULDINGS CAN BE RADIUSUED TO YOUR SPECIFICATIONS!


To order specify the moulding item number, the radius desired and the number of pieces needed.

mouldings



550-492-16 Sill Moulding

Ht.: 1 1/2" Length: 16' Proj.: 4"



550-494-16 Sill Moulding

Ht.: 1 1/2" Length: 16' Proj.: 6 1/2"



550-336-20-36 Flat Stock Panel


Ht.: 20" Length: 36" Proj.: 1"



Tongue & Groove

550-510-12 Soffit Moulding

Ht.: 12" Length: 12' Proj.: 3/4"



Flat Board (see below)

Item Number


Thickness	Height	Length
3"	16'	550-332-3-16
3 1/2"	16'	550-332-3 1/2-16
5 1/2"	16'	550-332-5 1/2-16
7 1/2"	16'	550-332-7 1/2-16
9 1/2"	16'	550-332-9 1/2-16
11 1/2"	16'	550-332-11 1/2-16
20"	16'	550-332-20-16
3"	16'	550-334-24-12
3 1/2"	16'	550-334-3-16
5 1/2"	16'	550-334-3 1/2-16
7 1/2"	16'	550-334-5 1/2-16
9 1/2"	16'	550-334-7 1/2-16
11 1/2"	16'	550-334-9 1/2-16
13 1/2"	16'	550-334-11 1/2-16
15 1/2"	16'	550-334-13 1/2-16
	16'	550-334-15 1/2-16
	16'	550-334-20-16
3 1/2"	16'	550-336-3 1/2-16
5 1/2"	16'	550-336-5 1/2-16
7 1/2"	16'	550-336-7 1/2-16
9 1/2"	16'	550-336-9 1/2-16
11 1/2"	16'	550-336-11 1/2-16
12"	16'	550-336-12-16
		550-338-3-10

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.


MOULDINGS

mouldings




550-420-16 Moulding

Ht.: 5 1/2" Length: 16' Proj.: 3 1/4"




550-610-8 Spandrel Moulding

Ht.: 8 1/4" Length: 8' Proj.: 2 1/2"




550-444-16 Moulding

Ht.: 4 1/2" Length: 16' Proj.: 4"



550-610-1-8 Moulding

Ht.: 1" Length: 8' Proj.: 13/16"



550-102-8 Moulding


Height: 1/2" Length: 8' Proj.: 1/2"

550-102-1-8 Moulding

Height: 1 1/16" Length: 8' Proj.: 1 1/16"

550-102-5-8 Moulding

Height: 1 1/16" Length: 8' Proj.: 5/8"




550-504-16 Moulding

Ht.: 15 1/4" Length: 16' Proj.: 1 1/2"



550-253-16 Moulding

Ht.: 9" Length: 16' Proj.: 9"



Horizontal Application

Vertical Application


550-314-16 Moulding

Ht.: 24" Length: 16' Proj.: 1 1/2"



550-497-16 Moulding

Ht.: 3 7/8" Length: 16' Proj.: 3"



550-501-12 Moulding

Ht.: 7" Length: 12' Proj.: 7 1/2"

MOULDINGS


CUSTOM MOULDINGS TO YOUR SPECIFICATIONS!

From a sample piece of wood to detail drawings, Melton Classics has the ability to replicate the item you need. Please fax any necessary information, along with the lineal feet you need, to our sales department.



550-121-12 Moulding

Ht.: 5 3/4" Length: 12' Proj.: 3"




550-600-12 Moulding

Ht.: 5 1/2" Length: 12' Proj.: 3 1/4"



550-519-10 Moulding

Ht.: 3 1/2" Length: 10' Proj.: 1 9/16"




550-515-16 Moulding

Ht.: 9 1/4" Length: 16' Proj.: 4 1/4"



550-524-16 Moulding

Ht.: 2 3/4" Length: 16' Proj.: 2 3/4"



550-520-16 Moulding

Ht.: 1 1/2" Length: 16' Proj.: 1"



550-528-10 Moulding

Ht.: 5 7/8" Length: 10' Proj.: 5"



550-529-16 Moulding

Ht.: 6 1/2" Length: 16' Proj.: 1 5/8"



550-509-16 Moulding

Ht.: 2 3/4" Length: 16' Proj.: 1 5/16"

IMPORTANT

For best results, we recommend using a quality Urethane Adhesive on all joints as part of installation. To order, Contact Melton Classics.

mouldings